



QINGDAO TELSUN INTERNATIONAL TRADE CO.,LTD

Add: Minghui Tower, Laoshan District, Qingdao, Shandong, China

Tel: +86 532 83632852

Fax: +86 532 83632852

Email: info@telsungroup.com

Web: www.telsungroup.com



QINGDAO TELSUN INTERNATIONAL TRADE CO.,LTD



COMPANY PROFILE


Qingdao Telsun International Trade Co., Ltd is the specialist of exporting wheels globally, factory is located in Dongying, Shandong Province, which was founded in 2003. We aim for provide our clients with optimized combination of service, price and product performance as well as deliver the maximized value of the product.

The company has met the highest industry standard and obtained certificates of ISO/TS16949, TUV, ECE, DOT, and IMMETRO. Our wheel product range covers truck steel wheels, light commercial wheels, forged alloy wheels and agricultural wheels. In present, our wheels products have been very popular in domestic OEMs and some aftermarket. Besides, our product has been exporting to more than 50 countries worldwide and maintained high reputation in the industry.

Telsun can produce the wheels according to customers' requirements and our company also can provide the wheel and tires assemblies service with advanced equipments.

Telsun are embracing partners to collaborating with our passionated and experienced experts. Our ultimate goal is to cooperate with all partners in overseas markets and establish a win-win business together.

15°DC STEEL TUBELESS WHEELS



Telsun Part Number	Size	No. of Stud Holes	Stud Hole Dia (mm)	Type of Stud Holes	P.C.D(mm)	Center Bore Dia (mm)	Offset(mm)	REC Tyre Sizes
TL1752501	17.5x5.25	5	29	SR22	203.2	146	115	195/60R17.5 205/60R17.5 7R17.5
TL1752502		5	32.5	SR22	208	150	115/108	
TL1752503		6	21.5	SR16	205	161	125	
TL1752504		6	20.5	SR22	190	140	108	
TL175601	17.5x6.00	6	32.5	SR22	222.25	164	135	205/75R17.5 215/75R17.5 225/75R17.5 8R17.5
TL175602		5	29/32.5	SR22	203.5	146	118	
TL175603		6	21.5	1X45°	205	161	127	
TL175604		5	32.5	SR22	208	150	125	
TL175606		8	25.4/26/27/24.5	1X45°/SR18	275	221	134	
TL175607		6	21.5	1X45°	245	202	130/135	
TL17567501	17.5x6.75	8	24.5	1X45°	275	221	142	225/75R17.5 235/75R17.5 9R17.5
TL17567502		6	32.5	SR22	222.25	164	135	
TL17567504		10	26	1X45°	225	176	133	
TL17567505		8	27	SR18	275	221	140	
TL17567507		6	21.5	1X45°	245	202	135	
TL17567508	19.5x6.00	6	21.5	SR16	205	161	128	8R19.5 215/75R19.5 235/75R19.5
TL195601		8	24.5	1X45°	275	221	135	
TL195602	19.5x6.75	6	32.5	SR22	222.25	164	135	9R19.5 215/75R19.5 235/75R19.5 245/70R19.5 265/70R19.5
TL19567501		6	32.5	SR22	222.25	164	140	
TL19567502		8	32.5	SR22	275	214	140	
TL19567503		8	26	1X45°	275	214	142	
TL19567504		8	26/27	1X45°/SR18	275	221	145	
TL19567505	19.5x7.50	10	26/27	1X45°/SR18	225	176	135/140	10R19.5 245/70R19.5 265/70R19.5 285/70R19.5
TL1957501		8	26/27	1X45°/SR18	275	221	152/156/0	
TL1957502		10	26/27	SR18	225	176	150	
TL1957503		8	24.5	1X45°	275	221	155/0	
TL1957504		6	32.5	SR22	222.25	164	152/110	
TL1957505	19.5x8.25	6	21.5	1X45°/SR16	205	161	0	10R19.5 245/70R19.5 265/70R19.5 285/70R19.5 305/70R19.5
TL19582501		8	26	1X45°	275	221	160	
TL19582502		10	27	SR18	225	176	160	
TL19582503		8	21.5	1X45°	275	221	0	
TL19582504		6	21.5	SR16	205	161	0	
TL1951401	19.5x14.00	8	21.5	SR16	275	221	0	18R19.5 435/50R19.5 425/65R19.5
TL1951402		8	27	SR18	275	221	120	
TL1951403		6	21.5	SR16	205	161	0/50	
TL1951404		10	26/27	1X45°/SR18	335	281	0/120	
TL1951405		10	26	1X45°	225	176	0	
TL225601	22.5x6.00	10	26	1X45°	335	281	138	8R22.5
TL225602		8	32.5	SR22	275	214	133	
TL225603		6	32.5	SR22	222.25	164	138/135	
TL225604		8	32.5	SR22	285	221	138	
TL225605		10	26/27	1X45°/SR18	225	176	135/138	
TL22567501	22.5x6.75	8	32.5	SR22	275	214	152	9R22.5 10R22.5 255/70R22.5
TL22567502		8	26/27	1X45°/SR18	275	214	152	
TL22567503		10	26/27	1X45°/SR18	335	281	142/165	
TL22567504		8	24.5/26/27	1X45°/SR18	275	221	152/143	
TL22567505		6	32.5	SR22	222.25	164	158	
TL22567506	22.5x7.50	8	32.5	SR22	285	221	152	10R22.5 11R22.5 255/70R22.5 265/70R22.5 275/80R22.5
TL2257501		8	32.5	SR22	275	214	152	
TL2257502		10	26/27	1X45°/SR18	335	281	162/165/155	
TL2257503		8	24.5/26/27	1X45°/SR18	275	221	158/160/165	
TL2257504		6	32.5	SR22	222.25	164	110/190	
TL2257505		8	21.5/26	1X45°	275	221	0	
TL2257506	22.5x7.50	10	32.5	SR22	285.75	222	152	
TL2257507		10	26/27	1X45°	285.75	220	152	

15°DC STEEL TUBELESS WHEELS

Telsun Part Number	Size	No.of Stud Holes	Stud Hole Dia (mm)	Type of Stud Holes	P.C.D(mm)	Center Bore Dia. (mm)	Offset(mm)	REC Tyre Sizes
TL22582501	22.5x8.25	10	26/27	1X45°/SR18	275	214	152	11R22.5 12R22.5 255/70R22.5 275/70R22.5 295/75R22.5 295/80R22.5
TL22582502		10	26/27	1X45°	335	281	162/165/155	
TL22582503		10	32.5	SR22	275	221	158/160/165	
TL22582504		8	32.5	SR22	222.25	164	110/190	
TL22582505		8	32.5	SR22	275	221	0	
TL22582506		8	26/27	1X45°/SR18	285.75	222	165/152	
TL22582507		10	26	1X45°	285.75	220	165/152	
TL22582508		10	26	1X45°	285	221	152	
TL225901	22.5x9.00	8	32.5	SR22	275	214	175	12R22.5 13R22.5 285/60R22.5 295/60R22.5 305/70R22.5 315/80R22.5
TL225902		8	32.5	SR22	285	221	175	
TL225903		8	26/27	1X45°	275	221	175	
TL225904		10	26	1X45°	285.75	220	175	
TL225905		10	32.5	SR22	285.75	222	175	
TL225906		10	27	SR18	335	281	0	
TL225907		8	21.5	1X45°/SR16	275	221	0	
TL22597501	22.5x9.75	10	26/27	1X45°/SR18	335	281	180	13R22.5
TL22597502		10	26	1X45°	285.75	220	180	
TL225117501	22.5x11.75	10	26/27	1X45°/SR18	335	281	0/120	15R22.5 385/65R22.5
TL225117502		8	26/27	1X45°/SR18	275	221	0/120	
TL225117503		8	21.5	SR16	275	221	0/120	
TL225117504		6	21.5	1X45°/SR16	205	161	0	
TL225117505		10	32.5	SR22	285.75	222	0/120	
TL225117506		10	26	1X45°	285.75	220	0/120	
TL225117507		8	32.5	SR22	285	221	0/120	
TL2251301	22.5x13.00	10	26/27	1X45°/SR18	335	281	0/120/80	18R22.5 425/65R22.5
TL2251302		8	32.5	SR22	285	221	115/0/120	
TL2251303		8	21.5	1X45°/SR16	275	221	0/120	
TL2251304		8	26/27	1X45°/SR18	275	221	0/120	
TL2251305		6	21.5	1X45°/SR16	205	161	0/120	
TL2251401	22.5x14.00	10	26/27	1X45°/SR18	335	281	0/120	425/65R22.5
TL2251402		10	26	1X45°	285.75	220	0/50/120	
TL2251403		8	21.5	1X45°/SR16	275	221	0/120	
TL2251404		8	26/27	1X45°/SR18	275	221	0/120	
TL2251405		8	32.5	SR22	285	221	0/130	
TL2251601	22.5x16.00	6	21.5	1X45°/SR16	205	161	0	550/65R22.5
TL2251602		8	21.5	1X45°/SR16	275	221	120	
TL2251603		10	26/27	1X45°/SR18	335	281	130	
TL2251604		8	26/27	1X45°/SR18	275	221	0	
TL2251605		10	32.5	SR22	285.75	222	120	
TL2251606		10	26	1X45°	285.75	220	0	
TL225201	22.5xAG20.00	8	21.5	SR16	275	221	0	600/55R22.5 650/50R22.5
TL225202		8	21.5	SR16	275	221	50	
TL225203		8	27	SR18	275	221	10	
TL225204		10	27	SR18	335	281	0	
TL225205		10	26	1X45°	285.75	220	0	
TL225206		10	27	SR18	335	281	50	
TL265201	26.5xAG20.00	10	27	SR18	335	281	E50	600/55R26.5
TL24582501	24.5x8.25	10	26/27	1X45°/SR18	335	281	168/165	11R24.5
TL24582502		10	26	1X45°	285.75	220	169	
TL24582503		10	32.5	SR22	285.75	222	169	
TL24582504		8	32.5	SR22	285	221	165/169	
TL24582505		8	26	1X45°	275	221	165	
TL24582506		8	32.5	SR22	275	214	165/169	

15°DC STEEL TUBELESS WHEELS

Demountable rim




Telsun Part Number	SIZE	TYPE	REC Tyre Sizes
TLD001	17.5x6.00	USA	11R22.5 255/70R22.5 275/70R22.5 295/80R22.5 12R22.5 13R22.5 315/80R22.5
TLD002	17.5X6.75	USA	
TLD003	22.5x7.50	USA	
TLD004	22.5x8.25	EUR	
TLD005	22.5x8.25	USA	
TLD006	22.5x9.00	USA	
TLD007	22.5X9.00	EUR	



5°STEEL TUBE WHEELS



Telsun Part Number	Size	No.of Stud Holes	Stud Hole Dia (mm)	Type of Stud Holes	P.C.D(mm)	Center Bore Dia. (mm)	Offset(mm)	REC Tyre Sizes
TL85024001	8.50-24	10	26/27	1X45°	335	281	180	1200R24
TL85024002		10	32.5	SR22	285.75	222	180	
TL85024003		10	26	1X45°	285.75	220	180	
TL85024004		8	32.5	SR22	285	221	180	
TL8502001	8.50-20	10	26/27	1X45°	335	281	180	1200R20
TL8502002		10	32.5	SR22	285.75	222	178	
TL8502003		8	32.5	SR22	285	221	178	
TL8502004		10	26	1X45°	285.75	220	178	
TL8002001	8.00-20	10	26/27	1X45°/SR18	335	281	170	11.00R20
TL8002002		8	32.5	SR22	285	221	172	
TL8002003		8	26/27	1X45°/SR18	275	221	172	
TL7502001		10	32.5	SR22	285.75	222	163	
TL7502002	7.50V-20	10	26/27	1X45°/SR18	335	281	165	10.00R20
TL7502003		8	32.5	SR22	285	221	165	
TL7502004		10	32.5	SR22	285.75	222	165	
TL7002001		8	32.5	SR22	275	214	153	
TL7002002	7.00T-20	8	26	1X45°	275	221	155	9.00R20
TL7002003		8	27	SR18	275	221	155	
TL7002004		10	26	1X45°	335	281	162	
TL7002005		10	27	SR18	335	281	162	
TL6502001	6.50-20	6	20.5	SR22	190	140	145	8.25R20
TL6502002		6	32.5	SR22	222.25	164	145	
TL6502003		8	26.5	SR18	275	221	145	
TL6502004		8	26.5	SR22	275	214	145	
TL6502005	6.50H-16	8	32.5	1x45°	285	221	145	8.25R16LT
TL65016001		6	20.5	SR22	190	140	127	
TL65016002		6	32.5	SR22	222.25	164	135	
TL60016001		5	32.5	SR22	203.2	146	127	
TL60016002	6.00G-16	5	32.5	SR22	203.2	146	135	7.50R16LT
TL60016003		5	32.5	SR22	208	150	127	
TL60016004		6	32.5	SR22	222.25	164	135	
TL60016005		6	20.5	SR22	190	140	135	
TL55016001	5.50F-16	5	32.5	SR22	203.2	146	108	7.00R16LT
TL55016002		5	32.5	SR22	203.2	146	112	
TL55016003		5	32.5	SR22	208	150	115	
TL55016004		6	32.5	SR22	222.25	164	119	
TL55016005		6	20.5	SR22	190	140	115	



WHEELS FOR AGRICULTURAL FARM APPLICATIONS

(TRACTORS,FORESTERS,HARVESTERS,AGRICULTURAL MIXERS AND TRAILERS)



Dia	Size	Recommend tire	Application Vehicle
12	12x3.00D	4.00-12	Tractor
	12x4J	5.00-12	Tractor
	12x4.50E	6.00-12	Tractor
	12x5J	6.00-12	Tractor
	12x10.50I	23x12.50-12	Farm Implement
13	13x4J	5.50-13	Tractor
	13X4.5J	5.50-13	Tractor
14	14X4J 1/2J	6.00-14	Tractor
15	15x4.00E	5.00-15	Tractor
	15x6LB	7.5L-15	Farm Implement
	15x7JA	8.50-15NHS	Farm Implement
	15x8LB	11L-15	Farm Implement
	15x10LB	12.5L-15	Farm Implement
15.3	15.3x9.00	11.5-15.3	Farm Implement
15.5	15.5xAG13.00	400/60-15.5	Farm Implement
16	16x3.00D	4.00-16	Tractor
	16x4.00E	5.50-16	Tractor
	16x4.50E	6.00-16	Tractor
	16x5.00F	6.50-16	Tractor
	16x5.50F	7.50-16	Tractor
	16x5.50K	7.50-16	Tractor
	16x6.00K	7.50-16	Tractor
	16x6LB	9.00-16	Tractor
	16x8LB	10.00-16	Tractor
	16xW8	9.50-16	Tractor
16.1	16x10LB	11.00-16	Farm Implement
	16.1xW11C	13.6-16.1	Farm Implement
	16.1xW14C	16.9-16.1	Farm Implement
	16.1xW16C	18.4-16.1	Farm Implement
	16.1xW18C	20.8-16.1	Farm Implement
16.5	16.5x8.25	10-16.5	Tractor
	16.5x9.75	12-16.5	Tractor
	16.5x12.00	15.5-16.5	Farm Implement
17	17x13.00	15.0/55-17	Farm Implement
	17x16.00	19.0/45-17	Farm Implement
17.5	17.5x5.25	7R17.5	Tractor
	17.5x6.75	8.5R17.5	Tractor
	17.5x11.75	14.00R17.5	Tractor
18	18xW9	11.2-18	Tractor, Farm Implement
	18xD9K	10.5-18	Tractor, Farm Implement
19.5	19.5x6.75	245/70R19.5	Farm Implement
	19.5x7.50	265/70R19.5	Farm Implement
	19.5x8.25	285/70R19.5	Farm Implement
	19.5x11.75	365/40R19.5	Farm Implement
	19.5x13.00	445/65R19.5	Farm Implement
	19.5x14.00	445/40R19.5	Farm Implement
20	20x5.5F	7.50-20	Tractor
	20x6.00F	7.50-20	Tractor
	20xW7	8.30-20	Tractor
	20xW8	9.50-20	Tractor
	20xW13	14.9-20	Farm Implement
	20x13.00	15.5-20	Farm Implement
	20x14L	14.9-20	Farm Implement
20.5	20.5x11.00	16.9-20.5	Farm Implement
	20.5x14.00	465/65R20.5	Farm Implement

WHEELS FOR AGRICULTURAL FARM APPLICATIONS



Dia	Size	Recommend tire	Application Vehicle
24	24xW8	9.50-24	Tractor
	24xW10	11.2-24	Tractor
	24xW12	13.6-24	Tractor
	23xW13	14.9-24	Tractor
	24xDW14	15-24	Tractor
	24xW15L	16.9-24	Tractor
	24xDW17	19.5L-24	Tractor
	24xW18L	20.4-24	Tractor
25	24xDW20	23.1-24	Farm Implement
	25-36/1.5	66x44.00-25	Farm Implement
26	26xW13	14.9-26	Tractor
	26xDW20A	23.1-26	Tractor
	26xDW25A	28L-26	Tractor
26.5	26.5xAG16.00	500/55-26.5	Farm Implement
	26.5xAG20.00	600/55-26.5	Farm Implement
	26.5xAG24.00	700/50-26.5	Farm Implement
	26.5xAG28.00	800/45-26.5	Farm Implement
28	28xW10	11.2-28	Tractor
	28xW11	12.4-28	Tractor
	28xW12	13.6-28	Tractor
	28xW13	14.9-28	Tractor
	28xW14L	15.5-28	Tractor
	28xW15L	16.9-28	Tractor
30	30xW12	13.6-30	Tractor,combine harvester
	30xDW12	13.6-30	Tractor,combine harvester
	30xW13	14.9-30	Tractor,combine harvester
	30xW14	15.5-30	Tractor,combine harvester
	30xDW14	15.5-30	Tractor,combine harvester
	30xW15L	16.9-30	Tractor,combine harvester
	30xW16L	18.4-30	Tractor,combine harvester
	30xDW16	18.4-30	Tractor,combine harvester
30.5	30xDW20	23.1-30	Tractor,combine harvester
	30.5xAG20.00	650/65-30.5	Farm Implement
	30.5xAG24.00	750/60-30.5	Farm Implement
	30.5xAG28.00	850/50-30.5	Farm Implement
32	32xW8	9.5-32	Tractor,combine harvester
	32xW10	11.2-32	Tractor,combine harvester
	32xW11	12.4-32	Tractor,combine harvester
	32xDW11	12.4-32	Tractor,combine harvester
	32xW12	13.6-32	Tractor,combine harvester
	32xDW12	13.6-32	Tractor,combine harvester
	32xDW20	23.1-32	Tractor,combine harvester
	32xDW21A	24.5-32	Tractor,combine harvester
34	32xDW27A	30.5-32	Tractor,combine harvester
	34xW14L	16.9-34	Tractor,combine harvester
	34xDW14	16.9-34	Tractor,combine harvester
	34xW15L	16.9-34	Tractor,combine harvester
	34xDW15	16.9-34	Tractor,combine harvester
	34xW16L	18.4-34	Tractor,combine harvester
	34xDW16	18.4-34	Tractor,combine harvester
	34xW18L	20.8-34	Tractor,combine harvester
	34xDW20	23.1-34	Tractor,combine harvester
	36xW10	11.2-36	Tractor,combine harvester
36	36xW11	12.4-36	Tractor,combine harvester
	36xDW11	12.4-36	Tractor,combine harvester
	36xW12	13.6-36	Tractor,combine harvester

WHEELS FOR AGRICULTURAL FARM APPLICATIONS



Dia	Size	Recommend tire	Application Vehicle
38	38xW10	11.2-38	Tractor,combine harvester
	38xDW10	11.2-38	Tractor,combine harvester
	38xW11	12.4-38	Tractor,combine harvester
	38xDW11	12.4-38	Tractor,combine harvester
	38xDW12	13.6-38	Tractor,combine harvester
	38xW13	14.9-38	Tractor,combine harvester
	38xW14	16.9-38	Tractor,combine harvester
	38xDW14	16.9-38	Tractor,combine harvester
	38xW15L	16.9-38	Tractor,combine harvester
	38xDW15	16.9-38	Tractor,combine harvester
	38xW16L	18.4-38	Tractor,combine harvester
	38xW18L	20.8-38	Tractor,combine harvester
	40xW10	11.2-40	Tractor,combine harvester
	40xW11	11.2-40	Tractor,combine harvester
40	40xW12	13.6-40	Tractor,combine harvester
	40xW13	14.9-40	Tractor,combine harvester
	40xW14	16.9-40	Tractor,combine harvester
	40xW15	16.9-40	Tractor,combine harvester
	40xW16	18.4-40	Tractor,combine harvester
	42xW10	11.2-42	Tractor,combine harvester
42	42xW12	13.6-42	Tractor,combine harvester
	42xW15L	16.9-42	Tractor,combine harvester
	42xDW15	16.9-42	Tractor,combine harvester
	42xW16L	18.4-42	Tractor,combine harvester
	42xDW16	18.4-42	Tractor,combine harvester
	42xW18L	20.8-42	Tractor,combine harvester
	42xDW18	20.8-42	Tractor,combine harvester
	46xW10	11.2-46	Tractor,combine harvester
46	46xW12	13.6-46	Tractor,combine harvester
	46xDW12	13.6-46	Tractor,combine harvester
	46xW16	18.4-46	Tractor,combine harvester
	46xDW18	20.8-46	Tractor,combine harvester
	48xW7	8.3-48	Tractor,combine harvester
	48xW10	11.2-48	Tractor,combine harvester
48	48xW11	12.4-48	Tractor,combine harvester
	48xDW12	13.6-48	Tractor,combine harvester
	48xW13	14.9-48	Tractor,combine harvester
	48xDW14	16.9-48	Tractor,combine harvester
	48xW15	16.9-48	Tractor,combine harvester
	48xW16	18.4-48	Tractor,combine harvester
	48xDW16	18.4-48	Tractor,combine harvester
	48xW18L	20.8-48	Tractor,combine harvester
	48xDW18	20.8-48	Tractor,combine harvester
	48xW20	23.1-48	Tractor,combine harvester
54	54xW10	12.4-54	Tractor,combine harvester
	54xW11	12.4-54	Tractor,combine harvester
	54xW12	13.6-54	Tractor,combine harvester



Forged Aluminum Wheels



Wheel Size	Max.load KG	Offset(mm)	Disc Thickness	Stud Hole Dia (mm)	Number of Stud Holes	Centre Bore Dia (mm)	P.C.D (mm)	Mounting Type	Dual Mount
17.5X6.00	2200	135	20.4	32.5	6	164	222.25	Stud	YES
17.5X6.00	2200	135	20.4	26	10	176	225	Hub	YES
17.5X6.00	2200	135	20.4	32.5	5	146	203.2	Stud	YES
17.5X6.00	2200	135	20.4	29	5	146	23.2	Stud	YES
17.5X6.00	2200	135	20.4	21.5	6	140	190	Stud	YES
17.5X6.00	2200	135	20.4	21.5	6	161	205	Hub	YES
17.5X6.75	2500	141	21.3	32.5	6	164	222.25	Stud	YES
17.5X6.75	2500	141	21.3	26	10	176	225	Hub	YES
17.5X6.75	2500	141	21.3	21.5	6	161	205	Hub	YES
17.5X6.75	2500	141	21.3	26	6	202	245	Hub	YES
17.5X6.75	2500	141	21.3	26	8	221	275	Hub	YES
19.5X6.75	2500	142	22.1	32.5	6	164	222.25	Stud	YES
19.5X6.75	2500	142	22.1	26	10	176	225	Hub	YES
19.5X6.75	2500	142	22.1	26	6	202	245	Hub	YES
19.5X6.75	2500	142	22.1	26	8	221	275	Hub	YES
22.5X7.50	3350	161.5	22	32	10	281	335	Hub	YES
22.5X7.50	3350	161.5	22	26	10	281	335	Hub	YES
22.5X7.50	3350	161.5	22	26	8	221	275	Hub	YES
22.5X7.50	3350	161.5	22	32	8	214	275	Stud	YES
22.5X7.50	3350	161.5	22	26	10	220	285.75	Hub	YES
22.5X8.25	3650	167	24.5	32	10	281	335	Hub	YES
22.5X8.25	3650	167	24.5	26	10	281	335	Hub	YES
22.5X8.25	3650	167	24.5	32	8	221	285	Stud	YES
22.5X8.25	3650	167	24.5	26	10	220	285.75	Hub	YES
22.5X8.25	3650	167	24.5	32	10	220	285.75	Stud	YES
22.5X8.25	3650	167	24.5	32	8	214	275	Stud	YES
22.5X8.25	3650	167	24.5	26	8	221	275	Hub	YES
22.5X9.00	4535	176	24.5	32	10	281	335	Hub	YES
22.5X9.00	4535	176	24.5	26	10	281	335	Hub	YES
22.5X9.00	4535	176	24.5	26	10	220	285.75	Hub	YES
22.5X9.00	4535	176	24.5	32	10	220	285.75	Stud	YES
22.5X11.75	4500	0	23	26	10	281	335	Hub	NO
22.5X11.75	4500	0	23	32	10	281	335	Hub	NO
22.5X11.75	4500	0	23	26	8	221	275	Hub	NO
22.5X11.75	4500	0	23	21.5	8	221	275	Hub	NO
22.5X11.75	4500	0	23	26	10	220	285.75	Hub	NO
22.5X11.75	4500	ET120	25.5	26	10	281	335	Hub	NO
22.5X11.75	4500	ET120	25.5	32	10	281	335	Hub	NO
22.5X11.75	4500	ET120	25.5	26	8	221	275	Hub	NO
22.5X11.75	4500	ET120	25.5	21.5	8	221	275	Hub	NO
22.5X11.75	4500	ET120	25.5	26	10	220	285.75	Hub	NO
22.5X13.00	5300	0	29	26	10	281	335	Hub	NO
22.5X13.00	5300	0	29	32	10	281	335	Hub	NO
22.5X14.00	5800	0	31	26	10	281	335	Hub	NO
22.5X14.00	5800	0	31	32	10	281	335	Hub	NO

Light Commercial Vehicle Wheels



Size	Offset(mm)	Center hole(mm)	P.C.D(mm)	Bolt hole(mm)	Tire
13x4.5J	98	φ 115	φ 160	6- φ 15	
13x5J	45	φ 110	φ 139.7	5- φ 15	
14x4.5J	98	φ 115	φ 160	6- φ 15	6.00-14
14x4.5J	98	φ 110	φ 160	6- φ 15	6.00-14
14x4.5J	99	φ 110	φ 160	6- φ 17	
5.5Jx16	115	φ 140	φ 190	6- φ 21	7.00R16
5.5Jx16	108	φ 140	φ 190	6- φ 21	195/75R16
5.5Jx16	115	φ 164	φ 222.25	6- φ 32	7.00R16
5.5Jx16	127	φ 164	φ 222.25	6- φ 32	7.00R16
5.5Jx16	127	φ 165	φ 222.25	6- φ 32	7.00R16
5.5Jx16	116	φ 164	φ 222.25	6- φ 32	205/75R16
5.5Jx16	123	φ 164	φ 222.25	6- φ 32	215/80R16
5.5Jx16	122	φ 164	φ 222.25	6- φ 32	7.00R16
5.5Jx16	127	φ 146	φ 203.2	5- φ 29	7.00R16
5.5Jx16	119	φ 150	φ 208	5- φ 32	7.00R16
5.5Jx16	116	φ 150	φ 208	5- φ 32	7.00R16
5.5Jx16	127	φ 164	φ 222.25	6- φ 24	7.00R16
5.5Jx16	106	φ 130	φ 170	6- φ 21	
5.5Jx16	127	φ 146	φ 203.2	5- φ 32	215/75R16
5.5Jx16	127	φ 146	φ 203.2	5- φ 29	
5.5Jx16	119	φ 146	φ 203.2	5- φ 29	
5.5Jx16	118	φ 146	φ 203.2	5- φ 29	
5.5Jx16	127	φ 165	φ 222.25	6- φ 32	
5.5Jx16	127	φ 161	φ 205	6- φ 21	215/75R16
5.5Jx16	105	φ 130	φ 170	6- φ 21	
5.5Jx16	115	φ 140	φ 190	6- φ 21	
6Jx15	15	φ 110	φ 140	5- φ 15	
6Jx15	115	φ 140	φ 190	6- φ 20	195/70R15
6Jx16	125	φ 165	φ 222.25	6- φ 32	225/80R16
6Jx16	127	φ 150	φ 208	5- φ 32	225/80R16

